

Country Profile

Zimbabwe

Investing in Land Degradation Neutrality: Making the Case

An Overview of Indicators and
Assessments



**THE GLOBAL
MECHANISM**
United Nations Convention
to Combat Desertification



Contents

1. Quick Facts	3
2. Population on Degrading Land.....	4
2.1 National Overview	4
2.2 Regional and Global Overview	5
3. Economics of Land Degradation.....	6
3.1 National Overview	6
3.2 Regional and Global Overview	7
4. Land and Climate Change	8
4.1 National Overview	8
4.2 Regional and Global Overview	11
5. Opportunities - The Way Forward	12
6. Ongoing Projects and Programmes.....	14
7. Country Studies.....	15
8. Supplementary Information	16
8.1 Glossary.....	16
8.2 Notes.....	17
8.3 References	18
8.4 Photos	19
8.5 About this Publication	19

1. Quick Facts*

In Zimbabwe, 142 thousand people were living on degrading agricultural land in 2010 – an increase of 30% in a decade, bringing the share of rural residents who inhabit degraded agricultural land up to 2% of the total rural population. Land degradation can severely influence populations' livelihood by restricting people from vital ecosystem services (including food and water), increasing the risk of poverty.

The annual cost of land degradation in Zimbabwe is estimated at 382 million United States dollars (USD). This is equal to 6% of the country's Gross Domestic Product. Land degradation leads to reduction in the provision of ecosystem services that takes different forms – deterioration in food availability, soil fertility, carbon sequestration capacity, wood production, groundwater recharge, etc. – with significant social and economic costs to the country.

The returns on taking action against land degradation are estimated at 3 USD for every dollar invested in restoring degraded land in Zimbabwe. Assessments of the costs of action against land degradation through restoration and sustainable land management practices versus the cost of inaction highlight the strong economic incentive for bold actions against land degradation.

In Zimbabwe, the Agriculture, Forestry and Other Land Use (AFOLU) sector is responsible for 76% of the total greenhouse gas emissions of the country. Due to the role of terrestrial ecosystems as a source and sink of emissions land is positioned as a key point of intervention for climate change mitigation and adaptation as also reflected in Zimbabwe's Nationally Determined Contributions (NDC).

Land-based mitigation options rank among the most cost-effective opportunities to sequester carbon emissions. Economic evaluations of various climate change mitigation alternatives show that capturing carbon through restoring degraded lands (including degraded-forest) is a cost-effective option that offers multiple co-benefits.

Sustainable Development Goal 15, 'Life on Land', and its target 15.3 on Land Degradation Neutrality (LDN) is a unique opportunity for countries to curb the growing threats of land degradation and to reap multiple socioeconomic benefits of LDN. Zimbabwe has set national voluntary LDN target, established an LDN baseline, and formulated associated measures to achieve LDN.

*This country profile was developed based on a review of recent studies, assessments, and global databases that demonstrate multiple benefits of taking bold actions to achieve Land Degradation Neutrality.

2. Population on Degrading Land

2.1 National Overview

Land is a source of well-being for present and future generations – it provides a wide range of ecosystem services that sustain human needs. Land degradation can severely influence livelihoods by limiting the availability of vital ecosystem services (including food and water), increasing the risk of poverty⁽¹⁾ and ultimately forcing people to migrate.⁽²⁾

A recent study⁽³⁾ shows that the state of the land, whether it is improving or degrading, can to a large extent influence the impact of the country's economic growth on the alleviation of poverty, making land an accelerator (or decelerator) of poverty eradication.

Poverty in Zimbabwe is estimated to affect 84% of the rural population.⁽⁴⁾ In 2010, 2% of the rural population of the country was living on degrading agricultural land, which amounts to approximately 142 thousand people.ⁱ Moreover, between the years 2000 and 2010, the number of people living on degrading agricultural land grew by 32 thousand, representing an increase of 30% over the decade (see table 1 for further details).

Moreover, 67% of people employed in Zimbabwe are linked to the agriculture sector.⁽⁴⁾ The intensification and expansion of land degradation may severely affect labor productivity, ultimately jeopardizing agricultural livelihoods in the country.

Improving land quality and living standards of the rural population requires policy responses that improve the condition of terrestrial ecosystems by avoiding, reducing and reversing degraded land. Investments, particularly in hotspot locations characterized by both high restoration potential and high socioeconomic benefits in poverty areas, will improve the conditions of the most vulnerable people and increase the resilience of ecosystems.

Table 1: Population on degrading agricultural land in Zimbabwe^(3,4,5)

Population categories ⁱ	2000	2010	% change from 2000 to 2010
Rural population on degrading agricultural land	109,059	141,548	29.8%
Share (%) of rural population on degrading agricultural land	1.3%	1.5%	*0.2%
Rural population on remote degrading agricultural land	42,042	54,738	30.2%
Share (%) of rural population on remote degrading agricultural land	0.5%	0.6%	*0.1%
Rural population	8,280,237	9,335,122	12.7%
Total population	12,499,981	13,973,897	11.8%

Note: Due to rounding, some figures in the text may not correspond with those reported in the tables or the sum of separate figures. * percentage-point difference between 2000-2010.

2.2 Regional and Global Overview

In Africa, 23% of the continent's rural population resided on degrading agricultural land in 2010, equivalent to 184 million people. Moreover, 6% of the total rural population – or 47.6 million people – lived in remote degrading agricultural land with limited access to markets.

The changes in these indicators between the period 2000 and 2010 for the region depict increases of 35% and 38% for the case of population residing in degrading agricultural land and remote degrading agricultural land respectively; whereas the overall population in rural areas grew at 27% over the same period (see table 2).

On a global level, it is estimated that about 1.5 billion people worldwide – equivalent to 32% of the total rural population – resided on degrading agricultural land in 2010. Furthermore, during the same year, 233 million people lived on remote degrading agricultural land with limited access to markets, representing 5% of the global rural population.

Among the world's regions suffering from land degradation, the most affected continent is Asia with 79% of the global rural population residing in degrading agricultural areas (or 1.1 billion people). The second most affected region is Africa, with a share of 12% in the global rural population living in degrading agricultural areas. The remaining 9% are spread across Europe (5%), Latin America and the Caribbean (3%), and Northern America and Oceania (1%).

Regarding changes over time for the period 2000-2010, the global rural population in degrading agricultural areas and remote degrading agricultural areas increased by 12% and 14%, respectively.

Table 2 contains additional details of the populations living in degrading agricultural areas and remote degrading agricultural areas by region and globally for the years 2000 and 2010, as well as the percentage changes during this decade.

Table 2: Population on degrading agricultural land at regionalⁱⁱⁱ and global scale⁽³⁾

Regions	Population in 2010					% change from 2000 to 2010		
	Rural population (in millions)	Rural population on DAL (in millions)	% share	Rural population on remote DAL (in millions)	% share	Rural population	Rural population on DAL	Rural population on remote DAL
Africa	812.6	184.0	22.6%	47.6	5.9%	26.8%	34.7%	37.6%
Asia	3,102.9	1,176.8	37.9%	175.0	5.6%	12.2%	10.9%	8.6%
Europe	310.1	75.6	24.4%	2.5	0.8%	-2.6%	-6.5%	-5.9%
Latin America and the Caribbean	350.9	48.2	13.7%	7.2	2.1%	14.1%	17.8%	16.4%
Northern America	71.4	11.4	16.0%	0.7	1.0%	7.5%	7.5%	6.2%
Oceania	16.0	0.9	5.4%	0.3	1.8%	15.0%	0.8%	39.3%
World Total	4,663.9	1,496.9	32.1%	233.3	5.0%	13.4%	12.4%	13.6%

Note: DAL= Degrading Agricultural Land

3. Economics of Land Degradation

3.1 National Overview

Land provides valuable ecosystem services for human well-being, but land degradation leads to a reduction in the provision of these services with significant social and economic costs to the country. The decline of ecosystem services can take different forms, including decline in food availability, soil fertility, carbon sequestration capacity, wood production, groundwater recharge, among others.^(6, 7, 9)

The costs of land degradation for the country are measured in terms of the changes in land productivity by considering two aspects: changes in land cover from a high-value biome to a lower-value biome (e.g. forest land converted to cropland); and the decline in ecosystem services provision within a certain land cover type due to degrading land-use practices (e.g. reduced cropland productivity over time).⁽⁶⁾

In Zimbabwe, the total annual cost of land degradation is estimated at 382 million United States Dollars (USD) — this is equal to 6% of the country's Gross Domestic Product (GDP).^{iv} Moreover, a considerable share of the costs of land degradation (60%) is due to the decline in provisioning ecosystem services (e.g. food availability, wood production, etc.), which has a significant impact on the population of the country. The remaining share refers to the regulating ecosystem services (e.g. carbon sequestration, water regulation flows), which has an impact not only at the country level, but also on the regional and global scale due to the transboundary nature of these services that provide incentives for international cooperation (see table 3).^v

Land degradation often stems from land-use decision-making processes driven by high market prices of specific ecosystem services — for example, food. In this context, land-use decisions may largely neglect the significance of other ecosystem services for which no markets exist, but which are also of high value to the society.⁽⁹⁾

Given the significant economic burden of land degradation, research has also focused on the study of the costs of action against land degradation through restoration and sustainable land management practices. These costs of action are often compared to the costs of inaction — the latter being derived from the projection of past degradation rates to the future.

In this context, a recent global assessment on land degradation⁽⁶⁾ shows that for Zimbabwe the returns on taking action against land degradation versus inaction are estimated at 3 USD for every dollar invested in reverting degraded land,^{vi} underlining the strong economic incentives for bold actions on achieving LDN.

Table 3: Economics of land degradation (LD) in Zimbabwe^(4, 6, 8)

Total annual cost of land degradation (base year 2007)	382 m USD
Cost of LD due to the decline in provisioning ecosystem services (as % of total cost)	60%
Cost of land degradation as % of GDP	6.3%
Cost of action (30-year planning horizon)	5.8 bn
Cost of inaction (30-year planning horizon)	18.5 bn
Returns on action against land degradation per dollar invested	3 USD
GDP 2016 (USD)	16.3 bn
Share of Agriculture in total GDP 2016	11%
GDP per capita 2016 (USD)	1,009

Note: m = million; bn=billion

3.2 Regional and Global Overview

For Africa, the total annual costs of land degradation are estimated at 65 billion USD, which amounts to about 4% of the total GDP of the region. This share, however, varies considerably among countries.

On a global scale, the costs of land degradation are estimated at about 297 billion USD.^{vii} As illustrated in table 4, Asia accounts for the largest share of the total global cost of land degradation (28%), followed by Africa (22%), Latin America and the Caribbean (20%), Northern America (12%), Europe (12%) and Oceania (5%).

Assessments of the cost of action against land degradation versus the cost of inaction show that the latter significantly outweighs the former. On the regional level, the costs of action for Africa are estimated at 731 billion USD, whereas the costs of inaction equal about 3.1 trillion USD^{vi} (see table 4). The regional breakdown reveals social returns ranging from about 4 USD in the case of Asia, Africa, and Latin America and the Caribbean, and up to 6 USD in Europe, Northern America, and Oceania (see table 4).

On a global level, estimates show costs of action in the amount of 4.6 trillion USD, whereas the costs of inaction equal about 23.2 trillion USD.^{vi} That means that the expected social returns of taking action are estimated at about 5 USD for every dollar invested in the restoration of degraded land and sustainable land management.

Table 4: Cost of land degradation at regionalⁱⁱⁱ and global scale⁶⁾

Regions	Cost of Land Degradation (LD)		Cost of action and inaction		
	Total annual cost of LD (in billion USD; year 2007)	% of the annual cost of LD in the world total	Cost of action in 30-year time horizon (in billion USD)	Cost of inaction in 30-year time horizon (in billion USD)	Returns on action against LD (in USD)
Africa	65	22.0	731	3,112	4
Asia	84	28.4	976	4,359	4
Europe	35	11.8	945	5,652	6
Latin America and the Caribbean	61	20.4	789	3,107	4
Northern America	36	12.2	759	4,599	6
Oceania	15	5.2	407	2,442	6
World Total	297	100.0	4,606	23,272	5



4. Land and Climate Change

Land plays an important role in the global carbon cycle because terrestrial ecosystems continuously exchange carbon fluxes with the atmosphere. The exchange is two-way: on the one hand, terrestrial ecosystems sequester carbon through natural processes, and on the other hand, they release carbon through respiration as well as anthropogenic activities related to agriculture, forestry, and other land use. The role of terrestrial ecosystems as a source and sink of emissions positions land as a key element of intervention for climate change mitigation and adaptation.

4.1 National Overview

Land as a Source of Emissions

The Agriculture, Forestry and Other Land Use (AFOLU) sector is an important source of Greenhouse Gases (GHG). Figures vary on how this sector contributes to the national emission inventories across countries. In Zimbabwe, the AFOLU sector is responsible for 76% of the total emissions of the country (see table 5).

Within Zimbabwe's AFOLU sector, the larger share of the emissions is from Forestry and Other Land Use (FOLU) subsector (59%). Emissions from Agriculture plays a minor role.

Land as a Carbon Sink

Terrestrial ecosystems also play an important role as carbon sinks, offsetting emissions released by various sectors of the economy. The potential carbon storage per hectare (ha) and year varies considerably depending on the type of biome, the practice on the ground, and the prevalent climate.⁽¹¹⁾ The mean rate of sequestration is estimated at 1.5 tonnes of carbon (tC)/ha per year, where 0.5 tC is from soil organic carbon sequestration and an additional 1.0 tC from biomass.^{viii (11)}

In general, terrestrial ecosystems have a significant potential for carbon sequestration linked to the cumulative historic loss of carbon from land-use change. The capacity of land to further store carbon is crucial for bridging the time until new technologies to tackle climate change are adopted on a larger scale.⁽¹¹⁾

Table 5: Land as a source and sink of emissions⁽¹⁰⁾ in Zimbabwe (year 2010)

Sectors	GHG (Mt-CO ₂ e)	%
Sources total	64.20	100.0
AFOLU sources	48.84	76.1
Agriculture	11.08	17.3
FOLU net sources	37.76	58.8
Other sectors	15.36	23.9
Forest net sink	-0.09	
FOLU total	37.67	
Total net emissions with FOLU	64.11	
Total net emissions per capita with FOLU (in tonnes of CO ₂ e)	4.6	

Note: GHG=Greenhouse Gases; Mt-CO₂e = million tonnes of carbon dioxide equivalent.

The UNCCD Science Policy Interface developed the Land Degradation Neutrality (LDN) conceptual framework⁽¹²⁾, which refers to three hierarchical policy responses to achieve LDN that go hand in hand with climate actions: i) **avoid** further land degradation by halting conversion of land types, for example, not converting forest land into agricultural land; ii) **reduce** the impact of land-intensive activities by using Sustainable Land Management (SLM) practices, so that less carbon is released from soil, crops and other biomass; and iii) **reverse** land degradation, for example, by restoring or rehabilitating land that has lost productivity.⁽¹²⁾

Land as a cost-effective mitigation option

Within the various climate change mitigation alternatives, land-based mitigation options rank among the most cost-effective opportunities to sequester or avoid carbon.⁽¹³⁾ The cost of capturing one tonne of carbon (tC) by restoring degraded land is estimated at 51 USD per tC; while alternative engineering techniques such as 'gas plant capture and carbon sequestration' have a cost of 306 USD per tC (see table 6). Moreover, land-based mitigation options are estimated to be more cost-effective than other widely-used strategies to avoid emissions — for example, the substitution of fossil fuels by solar or wind energy.^(13, 14)

Moreover, it is worth noting that the option of storing carbon in terrestrial ecosystems by restoring land generates several other co-benefits that should also be factored in. They include for instance improving soil health, reducing food insecurity and enhancing water regulation flows.

Table 6: Cost of carbon sequestration using different techniques^{ix(13)(14)}

Technique/Strategy	Cost of abatement USD per tC
Second-generation biofuels	25
Pastureland afforestation	51
Degraded-land restoration	51
Degraded forest restoration	61
Agriculture conversion	128
Biomass co-firing power plant	153
Coal-C capture and sequestration	229
Gas plant capture and sequestration	306
Solar VP*	92
Wind*	76

Note: tC= tonne of Carbon

Land matters play a key role in developing climate change mitigation and adaptation policies. Box 1 presents the leading land-based mitigation and adaptation strategies considered in Zimbabwe's Nationally Determined Contributions.



Box 1. Highlights on Climate Change and Land from Zimbabwe's Nationally Determined Contributions⁽¹⁵⁾

Land-based adaptation priorities

Sustainable Forest Management: Promoting non-timber forest products and sustainable agro-forestry practices to enhance forest-based adaptation.

Agriculture: Strengthening capacities to generate new forms of empirical knowledge, technologies (including conservation agriculture) and agricultural support services that meet climate challenges; Promoting the use of indigenous and scientific knowledge on drought tolerant crop types and varieties and indigenous livestock that are resilient to changes in temperatures and rainfall; Developing frameworks for sustainable intensification and commercialization of agriculture at different scales across agro ecologies.

Risk Reduction in Agriculture: Building capacity to conduct comprehensive vulnerability assessments and develop appropriate response models; strengthening the capacity of the national meteorological and hydrological services to provide climate data timely.

Ecosystem and Biodiversity: Strengthening biodiversity conservation management and integrity of natural ecosystems to adapt to climate change.

Water Management: Developing, rehabilitate and maintain surface and groundwater resources.

Mitigation and adaptation policy frameworks: REDD+



4.2 Regional and Global Overview^{xi}

In Africa, 63% of the total emissions released were from the Agriculture, Forestry and Other Land Use (AFOLU) sector in the year 2010. This percentage represents 2,610 Mt-CO₂e out of the total 4,109 Mt-CO₂e emitted in the region (see table 7). In the AFOLU sector, the 'Forestry and Other Land Use (FOLU)' subsector accounts for 44% (or 1,816 Mt-CO₂e), while the 'Agriculture' subsector is responsible for 19% (or 794 Mt-CO₂e) of the total emissions from the region.

At a global level, it is estimated that the AFOLU sector is responsible for 23% of the GHG emissions, which is equal to 11,380 Mt-CO₂e (see table 7). Breaking down the AFOLU sector into 'Agriculture and 'FOLU' shows that the majority of emissions come from the latter subsector with a total amount of 6,304 Mt-CO₂e; while Agriculture emitted 5,075 Mt-CO₂e.

Regarding the regional contributions to the global emissions of the AFOLU sector, greenhouse gas (GHG) inventories report that the Asia region is the leading contributor of global AFOLU emissions. Asia is responsible for 35% of global AFOLU emissions, followed by Latin America and Africa which are responsible for 24% and 23% of emissions respectively. Table 7 displays further details of the regional contributions of the AFOLU sector in relation to the total global emissions as well as the regional breakdown for the Agriculture and FOLU subsectors.

Evidence also shows that the global forest ecosystems alone removed 3,234 Mt-CO₂e from the atmosphere in the year 2010 (see table 7). More generally, out of the total global carbon emissions to the atmosphere by human activities, an estimated 42% are accumulated in the atmosphere; another 23% is sequestered by the oceans; and the remaining 34% is attributed to sequestration by terrestrial ecosystems,⁽¹¹⁾ highlighting the essential role of land-based ecosystems to mitigate climate change.

Table 7: Regionalⁱⁱⁱ and global emissions/removals from the Agriculture, Forestry and Other Land Use (AFOLU) sector and related indicators⁽¹⁰⁾ in 2010

Regions	Sources total		AFOLU Net sources		Agriculture		FOLU net sources		Forest net sink		Total emissions per capita with FOLU Mt-CO ₂ e
	Mt- CO ₂ e	in %	Mt- CO ₂ e	in %	Mt- CO ₂ e	in %	Mt- CO ₂ e	in %	Mt- CO ₂ e	in %	
Africa	4,109	8.3	2,610	22.9	794	15.7	1,816	28.8	-159	4.9	3.8
Asia	23,421	47.5	3,974	34.9	2,262	44.6	1,712	27.2	-936	28.9	5.4
Europe	8,268	16.8	875	7.7	567	11.2	308	4.9	-847	26.2	10.1
Latin America and the Caribbean	4,838	9.8	2,724	23.9	896	17.7	1,828	29.0	-545	16.9	7.2
Northern America	7,711	15.6	752	6.6	406	8.0	346	5.5	-494	15.3	21.0
Oceania	1,001	2.0	445	3.9	150	3.0	295	4.7	-253	7.8	20.7
World total	49,349	100	11,380	100	5,075	100	6,304	100	-3,234	100	6.7

Note: Mt-CO₂e = million tonnes of carbon dioxide equivalent; FOLU= Forestry and Other Land Use.

5. Opportunities – The Way Forward

The 2030 Agenda for Sustainable Development offers opportunities for countries to curb the growing threats of land degradation and to reap multiple socioeconomic benefits of LDN.

Sustainable Development Goal 15 'Life on Land' and its target 15.3 on Land Degradation Neutrality (LDN) particularly encourage countries to 'combat desertification, restore degraded land and soil, including land affected by desertification, drought and floods, and strive to achieve a land degradation-neutral world by 2030'.

In October 2015, UNCCD country Parties decided that striving to achieve SDG target 15.3 is a strong vehicle for driving the implementation of the Convention and requested the UNCCD secretariat and appropriate UNCCD bodies to take the initiative and invite other relevant agencies and stakeholders to cooperate on achieving SDG target 15.3 (decision 3/COP12).

To achieve SDG target 15.3, the following five elements have been identified:

- (1) **LDN targets:** setting targets and establishing the level of ambition;
- (2) **Leverage and impact:** catalyzing the multiple benefits that LDN provides from climate change mitigation and adaptation to poverty reduction;
- (3) **Partnerships and resource mobilization:** rationalizing engagement with partners, overcoming fragmentation and systematically tapping into increasing finance opportunities, including climate finance;
- (4) **Transformative action:** designing and implementing bold LDN transformative projects that deliver multiple benefits; and
- (5) **Monitoring and reporting:** tracking progress towards achieving the LDN targets.

As of June 2018, 116 countries have made the commitment to translate the global goal of achieving LDN by 2030 into national action by setting national voluntary targets with the support of the LDN Target Setting Programme (LDN TSP) – a programme established by the Global Mechanism in collaboration with the UNCCD secretariat and supported by various partners.

Zimbabwe is among the countries that have already set the national voluntary LDN target, established an LDN baseline, and formulated associated measures (see box 2).

The LDN targets provide Zimbabwe with a strong vehicle for fostering coherence of policies and actions by aligning the national LDN targets with measures from the Nationally Determined Contributions and other national commitments.

Investing in LDN also accelerates the advancement of other SDGs due to the close linkages between land and other goals and targets, such as: Goal 1 (No poverty), Goal 2 (Zero hunger), Goal 5 (Promote gender equality), Goal 6 (Clean water and sanitation), Goal 8 (Decent work and economic growth), and Goal 13 (Climate action).⁽¹⁶⁾

Box 2. Zimbabwe's National Voluntary LDN Targets ⁽¹⁷⁾

LDN at National Scale

- Improve land cover of forest, wetlands, shrubs, grasslands and sparsely vegetated areas by 70% by 2030 compared to 2008.
- LDN achieved by 2030 compared to 2008 and an additional 10% (3,905,700 hectares) of the country's total land area has been improved (net gain).

LDN at Sub-National Scale

- LDN is achieved in the land degradation hotspots in Mhondoro, Chivi, Shamva, Hwange, Umzingwane, Chipinge and Zvishavane districts by 2030 as compared to 2008 (no net loss)
- LDN is achieved in the land degradation hotspot in Mhondoro, Chivi, Shamva, Hwange, Umzingwane, Chipinge and Zvishavane districts by 2030 as compared to 2008 and additional 15% of degraded hotspots districts has improved (net gain)

Specific Targets to Avoid, Minimize and Reverse Land Degradation

1. Reforestation with local and exotic species on 6,455,250 hectares of forest converted to shrubs and on 215,050 hectares of forest converted to cropland
2. Use conservation farming and agro-forestry practices to improve cropland productivity on 361,250 hectares of cropland showing stable but stressed productivity and early signs of decline
3. Embark on land/catchment reclamation/restoration on 5,580 hectares of grazing and cropland affected by gully erosion
4. Enforce laws and regulations, embark on awareness programmes targeting illegal miners and rehabilitate 3,798.60 hectares affected by illegal mining
5. Reduce the 8,857.92 hectares of land affected by alien species through chemical and mechanical control methods
6. Provide alternatives such as rural electrification, renewable energy sources, expand energy for tobacco programme, provide sustainable fencing materials for fencing arable lands and for brick burning, enforce regulations on tree cutting for fuel wood sale and reduce deforestation to protect 297,000 hectares of forest land
7. Enforce construction of conservation works, encourage conservation agriculture and build capacity for farmers to improve 1,083,825 hectares of degraded arable lands
8. Improve wetland management and restoration of 270,080 hectares of the country's severely degraded wetlands

6. Ongoing Projects and Programmes

To illustrate land-based approaches, the following section features some of the ongoing projects and programmes supported by national and international organizations.^{xiii}

Hwange-Sanyati Biological Corridor (HSBC). The objective of the project is to develop land use and resource management capacity of managers and communities in the HSBC. Funding Source: GEF Trust Fund. Implementing Agency: The World Bank. GEF Project Grant/Co-financing Total: 5.65 million USD/23.17 million USD. Link: for further information click [here](#).

Support to the Ministry of Lands and Rural Resettlement(MLRR). The goal of the project is to accelerate the rehabilitation of the land sector as a prerequisite for recovery and development of agriculture and other land based economic sectors. Total Budget: 7.88 million USD. Link: for further information click [here](#).

Emergency Support for Vulnerable Households affected by El Niño-induced drought. Financier: Technical Cooperation Programme. Total Budget: 390.000 USD. Link: for further information click [here](#).

Support to Alignment of Zimbabwe's National Action Programme (NAP) and Reporting Process to the UNCCD 10-Year Strategy. The objective of the project is to support Zimbabwe in meeting its obligation to the UNCCD convention through alignment of NAP with the 10–Year Strategy and reporting and review process for the UNCCD. Funding Source: GEF Trust Fund. Implementing Agency: United Nations Environment Programme. GEF Project Grant/Co-financing Total: 136.986 USD/150.000 USD. Link: for further information click [here](#).



7. Country Studies

For further reading, this section offers country studies that may be useful in making the case for investing in Land Degradation Neutrality.

National Action Programme of Zimbabwe. — (2000).

Economic Analysis of Rhino Conservation in a Land-Use Context within the SADC Region. — Spenceley. et al. (2005).

Economic Aspects of Community Involvement in Sustainable Forest Management in Eastern and Southern Africa. — Mogaka. et al. (2001).

Detection and Mapping of Long-Term Land Degradation Using Local Net Production Scaling: Application to Zimbabwe. — Prince. et al. (2009).

An Assessment of Land Degradation in the Save Catchment of Zimbabwe. — Mambo. et al. (2007).

Rural Sustainability under Threat in Zimbabwe – Simulation of Future Land Use/cover Changes in the Bindura District Based on the Markov-Cellular Automata Model. — Kamusoko. et al. (2009).

Where Is the Limit? Lessons Learned from Long-Term Conservation Agriculture Research in Zimuto Communal Area, Zimbabwe. — Thierfelder. et al. (2014).

A Comparative Analysis of Conservation Agriculture Systems: Benefits and Challenges of Rotations and Intercropping in Zimbabwe. — Thierfelder. et al. (2012).



8. Supplementary Information

8.1 Glossary

This subsection provides a brief description of the indicators presented above.

Annual cost of land degradation

The UNCCD defines land degradation as 'any reduction or loss in the biological or economic productive capacity of the land resource base. It is generally caused by human activities, exacerbated by natural processes and often magnified by and closely intertwined with climate change and biodiversity loss.' In the study featured here on the cost of land degradation, Nkonya and colleagues⁽⁶⁾ approach the study of land degradation by investigating declines in land productivity in the past due to: i) land cover changes from a high value-biome to a lower-value biome, such as the conversion from forest land into cropland; and ii) declines in the ecosystem services provision within a land cover type due to the use of degrading practices.

Cost of action

The costs of action are estimated by taking into account the following two cost categories: i) initial fixed investments and maintenance expenses that are related to the restoration of the high-value biome until it reaches biological maturity; ii) the inclusion of the opportunity cost given by the forgone benefits from the lower-value biome under replacement. The analysis of the cost is carried out over a planning period of 30 years.⁽⁶⁾

Cost of inaction

Cost of inaction represents the 'business as usual' (BAU) scenario. In this case, future land degradation trends are assumed to continue along patterns similar to those of the past. The total costs of inaction are calculated by the sum of future annual costs of land degradation over a 30-year planning horizon - where land degradation is captured by land cover changes from a high-value biome to a lower-value biome.⁽⁶⁾

Returns of action

Nkonya and colleagues⁽⁶⁾ measure the benefit of action as the difference between the cost of inaction minus the cost of action. When this difference is positive, then taking action is justified in economic terms. Moreover, the figures on returns on investment are calculated as the cost of inaction over the cost of action. For further methodological details on the annual cost of land degradation, cost action, inaction and returns on action, see Nkonya and colleagues.⁽⁶⁾

Population on degrading agricultural land

Estimates of the population in degrading agricultural areas are based on the work of Barbier and Hochard.⁽³⁾ They identify agricultural degrading land by looking at the areas that experienced negative changes in net primary productivity, using the Normalized Difference Vegetation Index. Note that estimates are mainly constrained to populations residing on 'agricultural land' in this study; the consideration of other land cover types may therefore increase the magnitude of these figures. Regarding data on the spatial distribution of rural population, this study uses data published by the Global Rural-Urban Mapping of the Socioeconomic Data and Applications Center (SEDAC). In order to further identify population in remote areas, Barbier and Hochard⁽³⁾ use data from the Global Environment Monitoring Unit of the Joint Research Centre of the European Commission.

Rural poverty

The rural poverty headcount ratio is used to calculate rural poverty, i.e. the percentage of rural population living below the national poverty line. National poverty line is the benchmark for estimating poverty indicators that are consistent with the country's specific economic and social circumstances and reflect local perceptions of the level and composition of consumption or income needed to be non-poor.⁽⁴⁾

Sustainable Land Management

SLM is the use and management of land resources—soil, water, animals and plants – for the production of goods to meet changing human needs, while ensuring the long-term productive potential of these resources and the maintenance of environmental functions. Degradation of water, soil and vegetation as well as emissions contributing to climate change can be limited through SLM practices that simultaneously conserve natural resources and increase yields.

8.2 Notes

- i. Figures on population on degrading agricultural land are calculated by using the shares of rural population on degrading agricultural land and remote degrading agricultural land estimated in the work of Barbier and Hochard⁽³⁾, in combination with data on rural population from the World Bank Development Indicators.⁽⁴⁾
- ii. Population in remote degrading areas is identified in terms of market accessibility, where access to market is defined as less than five hours of travel to a market city with a population of 50,000 or more.⁽³⁾
- iii. Country grouping is based on geographic regions as defined by the United Nations Statistics Division (see: <https://unstats.un.org/unsd/methodology/m49/>.)
- iv. Estimates of the economic costs of land degradation illustrated in this country profile are based on the work of Nkonya and colleagues.⁽⁶⁾
- v. The relationship between food production (provisioning ecosystem service) and the supply of other ecosystem services often depicts important trade-offs.⁽¹⁾
- vi. These figures correspond to a 30-year planning horizon in terms of quantification of costs and benefits.
- vii. Global estimates of the costs of land degradation vary to a great extent depending on the study. A study led by the Economics of Land Degradation Initiative⁽⁹⁾ estimates the global costs of land degradation at 9.6 trillion USD. In this regard, the figures presented in the current publication are conservative.
- viii. This is a global average coefficient used as a default in this publication, and it should be replaced with that of national level when available. Note also that one tonne of carbon (C) is approximately equivalent to 3.66 tonnes of carbon dioxide (CO₂).
- ix. This version of the country profile uses the 'Global GHG Abatement Cost Curve' as default information.⁽¹⁴⁾ National GHG Abatement Cost Curve should be used when available.
- x. Although solar and wind power are not sequestration techniques, but rather technologies that avoid (or reduce) emissions from the source, figures still show how competitive is restoring degraded land in comparison with solar or wind abatement alternatives.
- xi. Figures related to Greenhouse Gases in this subsection are retrieved from FAOSTAT.⁽¹⁰⁾
- xii. The information on projects and programmes presented in this section has been obtained from the websites of the following organizations: Climate Investment Funds, Food and Agriculture Organization of the United Nations, Global Environment Facility, Green Climate Fund, United Nations Development Programme, United Nations Environment Programme and the World Bank.

8.3 References

1. Vlek PLG, A. Khamzina, L. Tamene, Land degradation and the Sustainable Development Goals: Threats and potential remedies. CIAT Publication No. 440. International Center for Tropical Agriculture (CIAT), Nairobi, Kenya. 67 p. (2017).
2. United Nations Convention to Combat Desertification, "The Global Land Outlook, first edition" (Bonn, Germany, 2017).
3. E. B. Barbier, J. P. Hochard, Does Land Degradation Increase Poverty in Developing Countries? PLoS One. 11(2016), available at: <http://dx.doi.org/10.1371/journal.pone.0152973>.
4. World Bank, World Development Indicators (2017), available at: <http://data.worldbank.org/data-catalog/world-development-indicators>
5. E. B. Barbier, J. P. Hochard, "Land Degradation, Less Favored Lands and the Rural Poor: A Spatial and Economic Analysis" (Bonn, Germany, 2014), available at: http://www.eldinitiative.org/fileadmin/pdf/ELD_Assessment.pdf.
6. E. Nkonya, A. Mirzabae, J. von Braun, Economics of Land Degradation and Improvement – A Global Assessment for Sustainable Development. Springer Open, Heidelberg New York Dordrecht London, 2016, available at: <https://link.springer.com/book/10.1007/978-3-319-19168-3>
7. UNCCD, "The economics of desertification, land degradation and drought: Methodologies and analysis for decision-making. Background document." (2013).
8. UNSD, National Accounts Estimates of Main Aggregates. United Nations Statistics Division. (2016), available at: <http://unstats.un.org/unsd/snaama/dnList.asp>.
9. ELD Initiative, "The value of land: prosperous lands and positive rewards through sustainable land management." (2015), available at: www.eld-initiative.org.
10. FAO. FAOSTAT Database: "Agri-Environmental Indicators. Emissions by sector". Food and Agriculture Organization of the United Nations (2017) Available at: <http://www.fao.org/faostat/en/#data/EM>
11. R. Lal, Soil carbon sequestration impact on global climate change and food security. Science (80), 304, 1623–1627 (2004).
12. B. J. Orr et al., "Scientific Conceptual Framework for Land Degradation Neutrality" (Bonn, Germany, 2017), available at: http://www2.unccd.int/sites/default/files/document_s/LDN_Scientific_Conceptual_Framework_FINAL.pdf.
13. R. Lal, "Soil carbon sequestration. SOLAW Background Thematic Report - TR04B" (2011).
14. McKinsey & Company, "Pathways to a low carbon economy. Version 2 of the global greenhouse gas abatement cost curve" (London, U.K., 2009).
15. World Bank, Intended Nationally Determined Contributions (INDCs) Database, available at: <http://spappssecext.worldbank.org/sites/indc/Pages/INDCHome.aspx>.
16. UNCCD, "A natural fix. Sustainable Development Goals, a joined-up approach to delivering the global goals for sustainable development" (Bonn, Germany, 2016), available at: http://www.unccd.int/Lists/SiteDocumentLibrary/Publications/4_2016_Land_SDGs_ENG.pdf.
17. Ministry of Environment, Water and Climate of the Republic of Zimbabwe, National Land Degradation Neutrality Targets. Republic of Zimbabwe (2017).

8.4 Photos

Cover <http://pexels.com>
p.7 <http://pexels.com>
p.9 <http://pexels.com>
p.10 <http://pexels.com>
p.14 <https://pixabay.com/>
p.15 <https://pixabay.com/>
Back cover <http://pexels.com>

8.5 About this Publication

This country profile is intended to provide a brief overview of recent studies, assessments and indicators that demonstrate multiple benefits of taking bold actions to achieve Land Degradation Neutrality.

Team

Lead author: Pablo Muñoz
Contributing authors: Mian Ali, Paul Radloff, Zuo Yao, and Andjela Ristic
Editor: Helga Karsten
Project Assistant: Tatiana Pappe
Design: Henry King

Acknowledgments

We are most grateful for comments and suggestions received from the UNCCD National Focal Points and their technical advisers, as well as Jacob Hochard (East Carolina University), Alisher Mirzabaev (ZEF), Ephraim Nkonya (IPFRI), Francesco Tubiello (FAO), and colleagues from the UNCCD.

Disclaimer

This information product is a non-contractual document intended for users (Readers) in accordance with the relevant provisions of the United Nations relating to publications and disclaimers.

The designations employed and the presentation of material in this information product do not imply the expression of any opinion whatsoever on the part of the government of Zimbabwe (including its views and policies) or the United Nations Convention to Combat Desertification (UNCCD) concerning the legal or development status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. This information product may contain statements, statistics and other information from various sources. The UNCCD does not represent or endorse the accuracy or reliability of any statement, statistics or other information provided by the authors and contributors contained in this information product.

The citation of specific publications or any other documents does not imply that these have been endorsed or recommended by the government of Zimbabwe or UNCCD. Reliance upon such statements, statistics or other information shall also be at the Reader's own risk. The UNCCD shall not be liable to any Reader or anyone else for any inaccuracy, error, omission, alteration or use of any content herein, or for its timeliness or completeness.

Recommended citation

Global Mechanism of the UNCCD, 2018. Country Profile of Zimbabwe. Investing in Land Degradation Neutrality: Making the Case. An Overview of Indicators and Assessments. Bonn, Germany.

Contact

Pablo Muñoz, Ph.D. - Programme Officer, Global Mechanism of the UNCCD.
E-mail: pmunoz@unccd.int



**THE GLOBAL
MECHANISM**
United Nations Convention
to Combat Desertification

Global Mechanism of the UNCCD
Platz der Vereinten Nationen 1
53113 Bonn, Germany
+49 (0) 228 815 2856
globalmechanism@unccd.int
www.unccd.int